



If you liked our service, please tell a friend. If you didn't, please tell us!

40 W Louise Ave, Salt Lake City, UT 84115
2874 S 300 West, Salt Lake City, UT 84115
Phone: (801) 485-1800 Fax: (801) 484-9211
Email: UTLab@advancedlabsinc.com
FDA Registration #14353128308

Test Certificate

Description: Recharge
Sample ID:
Lot No: 251217-4
Location:
Received: 1/14/2026
Completed: 1/15/2026

Client: BL Bio Lab, LLC
2021 Sunnysdale Blvd
Ste. 140
Clearwater, FL 33765

Lab No: 288647-05

Analysis	Result	Per Unit	Method
Arsenic	0.185	ppm	ICP-MS USP <730>
Cadmium	0.026	ppm	ICP-MS USP <730>
Mercury	<0.001	ppm	ICP-MS USP <730>
Lead	0.086	ppm	ICP-MS USP <730>

THESE RESULTS APPLY ONLY TO THE SAMPLE SUBMITTED AND NOT TO THE PRODUCT FROM WHICH IT WAS TAKEN. THESE RESULTS ARE PROVIDED ONLY FOR THE BENEFIT OF CLIENT, WITHOUT REPRESENTATION OR WARRANTY OF ANY KIND, EXCEPT FOR THE EXPRESS LIMITED WARRANTY PROVIDED SOLELY TO CLIENT IN ADVANCED LABORATORIES' TERMS OF SERVICE.

THIS CERTIFICATE SHALL NOT BE REPRODUCED EXCEPT IN FULL, WITHOUT WRITTEN APPROVAL FROM ADVANCED LABORATORIES.

Results Approved By:

Solomon Jensen-UT Operations Manager

Dated:

1/15/2026

Printed: 1/15/2026 8:50:14 PM

